

# MATERIAL SAFETY DATA SHEET

May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.	<b>HMIS HAZARD RATING</b>
SAFETEC OF AMERICA	HEALTH                    0            0 = INSIGNIFICANT                    3 = HIGH FLAMMABILITY            3            1 = SLIGHT                                4 = EXTREME REACTIVITY                 0            2= MODERATE
	TRANSPORTATION INFORMATION
	PROPER SHIPPING NAME            Compounds, cleaning liquid (Isopropanol)
	HAZARD CLASS/PKG. GRP.            3/ III                                        REF.            173.150 ( b ) ( c ) IDENTIFICATION NUMBER            NA1993                                      LABEL            None Required Ground

## SECTION 1 - PRODUCT / COMPANY IDENTIFICATION

IDENTITY (AS USED ON LABEL AND LIST) <b>LENS CLEANER Premoistened Towelette</b>	Page 1 of 2
MANUFACTURER'S NAME Safetec of America, Inc.	EMERGENCY TELEPHONE NUMBER (24 Hours) (800) 255-3924
ADDRESS (NUMBER, STREET, P.O. BOX) 887 Kensington Ave.	TELEPHONE NUMBER FOR INFORMATION (716) 895-1822
(CITY, STATE AND ZIP CODE) Buffalo, NY 14215	DATE PREPARED                                January 7, 2009 SUPERSEDES                                        September 21, 2007

## SECTION 2 - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

HAZARDOUS COMPONENTS ( SPECIFIC CHEMICAL IDENTITY; COMMON NAME( S ))	CAS #	% (wt.) (OPTIONAL)	OSHA PEL/STEL		ACGIH TLV/TWA/STEL	
			PPM	MG/M <sup>3</sup>	PPM	MG/M <sup>3</sup>
Isopropyl Alcohol	67-63-0	10-20	400(TLV/TWA), 500(TLV/STEL)		983(TLV/TWA), 1230(TLV/STEL)	
Propylene Glycol Normal-Propyl Ether	mixture	1-4	None Established		None Established	

This product is not known to contain a substance subject to Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR 372 at or above minimal amounts.

## SECTION 3 - HEALTH HAZARD DATA

ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE	EMERGENCY AND FIRST AID PROCEDURES
<b>EYES:</b> Brief contact to liquid or vapors may cause mild irritation; prolonged contact may cause moderate irritation associated with redness.	Flush eyes with clear running water for a minimum of 25 minutes while holding eyelids open; if irritation persists seek medical attention.
<b>INHALATION:</b> Brief (minutes) inhalation will not cause adverse effects, although, constant inhalation may cause irritation to upper respiratory tract.	Remove to fresh air; provide oxygen if breathing is difficult; seek medical attention if required.
<b>INGESTION:</b> Ingestion of this product may cause irritation to the upper digestive tract and associated symptoms such as headache, dizziness, fatigue and central nervous system depression.	DO NOT induce vomiting; seek immediate medical attention. Vomiting may be induced only under the supervision of a physician.
<b>SKIN:</b> Prolonged contact may cause mild skin irritation.	Wash contaminated skin with mild soap and water; if irritation occurs and persists, seek medical attention.

**HEALTH HAZARDS (ACUTE AND CHRONIC):** This product is not considered a health hazard.

<b>CARCINOGENICITY</b> No additional information	NTP?            No	IARC MONOGRAPHS?            No	OSHA REGULATED?            No
---	--------------------	--------------------------------	-------------------------------

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** Preexisting skin, eye, or respiratory disorders may become aggravated through prolonged exposure.

**MATERIAL SAFETY DATA SHEET**IDENTITY (AS USED ON LABEL AND LIST)  
**LENS CLEANER Premoistened Towelette**Page 2 of 2  
Date: January 7, 2009**SECTION 4 - FIRE FIGHTING MEASURES**

FLASH POINT (METHOD USED) 79°F (TOC)	FLAMMABLE LIMITS (% Volume in Air for Lowest Flashing Component) LEL: 1.3 UEL: 12
EXTINGUISHING MEDIA Dry chemicals, alcohol-type or all-purpose foam, CO <sub>2</sub>	
SPECIAL FIRE FIGHTING PROCEDURES Use water spray to cool fire-exposed containers and structures. Use water spray to disperse vapors; re-ignition is possible.	
UNUSUAL FIRE AND EXPLOSIVE HAZARDS Flammable liquid. Concentrated vapors may be flammable.	

**SECTION 5 - PRECAUTIONS FOR SAFE HANDLING AND USE/LEAK PROCEDURES**

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED Remove all sources of ignition. Avoid prolonged exposure to vapors. Spills should be collected with approved inert absorbent for disposal. Use suitable disposal containers. Report per regulatory requirements.
WASTE DISPOSAL METHODS Dispose of in accordance with Local, State, and Federal regulations. Products classified as non-hazardous may become hazardous waste upon contact with other products. Refer to "40 CFR Protection of Environment Parts 260-299" for complete waste disposal regulations. Consult your Local, State, or Federal Environmental Protection Agency before disposing of any chemicals.
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE Keep container(s) tightly closed when not in use. Avoid inhalation of high concentration of vapors. Store in cool, dry, well ventilated area away from possible sources of ignition. Keep this and other chemicals out of reach of children.

**SECTION 6 - EXPOSURE CONTROLS/PERSONAL PROTECTION**

RESPIRATORY PROTECTION Ordinary, none required	VENTILATION LOCAL EXHAUST: Recommended MECHANICAL (GENERAL): Not required
PROTECTIVE GLOVES Ordinary, none required	EYE PROTECTION Ordinarily, none required
OTHER PROTECTIVE CLOTHING OR EQUIPMENT Ordinary, none required	WORK/HYGIENIC PRACTICES Practice safe work habits. Use according to label instructions.

**SECTION 7 - PHYSICAL/CHEMICAL PROPERTIES**

BOILING POINT 174.7°F	SPECIFIC GRAVITY (WATER = 1) 0.980
VAPOR PRESSURE (mm Hg) No data	MELTING POINT Not applicable
VAPOR DENSITY (AIR = 1) No data	pH 7.6-8.5
SOLUBILITY IN WATER Slight	EVAPORATION RATE (n-BUTYL ACETATE=1) Not applicable
APPEARANCE AND ODOR Off-white, premoistened towelette; mild alcohol odor.	% VOLATILES (BY VOLUME) 52.27

**SECTION 8 - STABILITY AND REACTIVITY**

STABILITY UNSTABLE: STABLE: XXX	CONDITIONS TO AVOID Extreme temperatures; sources of ignition
INCOMPATIBILITIES (MATERIALS TO AVOID) Strong oxidizers, strong acids; strong bases	
HAZARDOUS DECOMPOSITION OR BYPRODUCTS Decomposition will not occur if handled / stored properly. Thermal decomposition may emit typical products of combustion.	
HAZARDOUS POLYMERIZATION MAY OCCUR: WILL NOT OCCUR: XXX	CONDITIONS TO AVOID Heat, sparks, open flame, and other sources of ignition

The information contained herein is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.