

# MATERIAL SAFETY DATA SHEET

<p>May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.</p>	<p><b>HMIS HAZARD RATING</b></p>														
<h2 style="margin: 0;">SAFETEC OF AMERICA</h2>	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">HEALTH</td> <td style="width: 33%;">1</td> <td style="width: 33%;">0 = INSIGNIFICANT</td> <td style="width: 33%;">3 = HIGH</td> </tr> <tr> <td>FLAMMABILITY</td> <td>3</td> <td>1 = SLIGHT</td> <td>4 = EXTREME</td> </tr> <tr> <td>REACTIVITY</td> <td>0</td> <td>2 = MODERATE</td> <td></td> </tr> </table>	HEALTH	1	0 = INSIGNIFICANT	3 = HIGH	FLAMMABILITY	3	1 = SLIGHT	4 = EXTREME	REACTIVITY	0	2 = MODERATE			
	HEALTH	1	0 = INSIGNIFICANT	3 = HIGH											
	FLAMMABILITY	3	1 = SLIGHT	4 = EXTREME											
REACTIVITY	0	2 = MODERATE													
<p><b>TRANSPORTATION INFORMATION</b></p>															
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">PROPER SHIPPING NAME</td> <td colspan="3">Solids containing flammable liquid, n.o.s. (Isopropanol)</td> </tr> <tr> <td>HAZARD CLASS / PKG. GRP.</td> <td>4.1 / II</td> <td>IATA</td> <td>Special Provision A46</td> </tr> <tr> <td>IDENTIFICATION NUMBER</td> <td>UN3175</td> <td>US DOT</td> <td>Special Provision 47</td> </tr> </table>				PROPER SHIPPING NAME	Solids containing flammable liquid, n.o.s. (Isopropanol)			HAZARD CLASS / PKG. GRP.	4.1 / II	IATA	Special Provision A46	IDENTIFICATION NUMBER	UN3175	US DOT	Special Provision 47
PROPER SHIPPING NAME	Solids containing flammable liquid, n.o.s. (Isopropanol)														
HAZARD CLASS / PKG. GRP.	4.1 / II	IATA	Special Provision A46												
IDENTIFICATION NUMBER	UN3175	US DOT	Special Provision 47												

### SECTION 1 - PRODUCT / COMPANY IDENTIFICATION

IDENTITY (AS USED ON LABEL AND LIST)	Page 1 of 2
<b>Safetec Cut &amp; Scrape Cleaner - Towelette</b>	
MANUFACTURER'S NAME Safetec of America, Inc.	EMERGENCY TELEPHONE NUMBER (24 Hours) (800) 255-3924
ADDRESS (NUMBER, STREET, P.O. BOX) 887 Kensington Avenue @ William L. Gaiter Pkwy.	TELEPHONE NUMBER FOR INFORMATION (716) 895-1822
(CITY, STATE AND ZIP CODE) Buffalo, NY 14215	DATE PREPARED February 27, 2006 SUPERSEDES September 1, 2004

### SECTION 2 - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

HAZARDOUS COMPONENTS (SPECIFIC CHEMICAL IDENTITY; COMMON NAME(S))	CAS #	% (wt.) (OPTIONAL)	ACGIH TLV/TWA/STEL	
			PPM	MG/M <sup>3</sup>
Isopropyl Alcohol	67-63-0		400 (TLV/TWA), 500 (TLV/STEL)	983 (TLV/TWA), 1230 (TLV/STEL)

This product is not known to contain a substance subject to Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR 372 at or above minimal amounts.

### SECTION 3 - HEALTH HAZARD DATA

ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE	EMERGENCY AND FIRST AID PROCEDURES
<p><b>INHALATION:</b> Brief (minutes) inhalation will not cause adverse effects, although, constant inhalation may cause irritation to upper respiratory tract, headache, dizziness, or nausea.</p>	Remove victim to fresh air; provide oxygen if breathing is difficult; get medical attention.
<p><b>EYES:</b> Brief contact to liquid or vapors may cause mild irritation; prolonged contact may cause moderate irritation associated with redness.</p>	Immediately flush eyes with clear running water for a minimum of 25 minutes while holding eyelids open; get medical attention.
<p><b>INGESTION:</b> Ingestion of this product may cause irritation to the upper digestive tract and associated symptoms such as headache, dizziness, fatigue, nausea, central nervous system depression or coma.</p>	DO NOT induce vomiting. DO NOT give liquids if the victim is unconscious or drowsy. Otherwise, give no more than two glasses of water. Seek immediate medical attention. Vomiting may be induced only under the supervision of a physician.
<p><b>SKIN:</b> Prolonged contact with skin may cause mild skin irritation.</p>	Wash contaminated skin with water; if irritation occurs and persists, seek medical attention.

**HEALTH HAZARDS (ACUTE AND CHRONIC):** This product is not considered a health hazard.

CARCINOGENICITY	NTP? No	IARC MONOGRAPHS? No	OSHA REGULATED? No
No additional information			

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** Preexisting skin, eye, or respiratory disorders may become aggravated through prolonged exposure.

**MATERIAL SAFETY DATA SHEET**

IDENTITY (AS USED ON LABEL AND LIST)

**Safetec Cut & Scrape Cleaner**

Page 2 of 2

Date: February 27, 2006

**SECTION 4 - FIRE FIGHTING MEASURES**

FLASH POINT (METHOD USED) 91°F (Cleveland OC Method)	FLAMMABLE LIMITS (% Volume in Air for Lowest Flashing Component) Isopropyl Alcohol LEL: 2.5 UEL: 11.8
---	--

**EXTINGUISHING MEDIA**Water spray, dry chemicals, alcohol-type or all-purpose foam, CO<sub>2</sub>**SPECIAL FIRE FIGHTING PROCEDURES**

Positive pressure NIOSH approved self-contained breathing apparatus.

**UNUSUAL FIRE AND EXPLOSIVE HAZARDS**

Concentrated vapors may be flammable.

**SECTION 5 - PRECAUTIONS FOR SAFE HANDLING AND USE / LEAK PROCEDURES****STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED**

Remove all sources of ignition. Avoid prolonged exposure to vapors. Spills should be collected with approved inert absorbent for disposal. Use suitable disposal containers. Report per regulatory requirements.

**WASTE DISPOSAL METHODS**

Dispose of in accordance with Local, State, and Federal regulations. Products classified as non-hazardous may become hazardous waste upon contact with other products. Refer to "40 CFR Protection of Environment Parts 260-299" for complete waste disposal regulations. Consult your Local, State, or Federal Environmental Protection Agency before disposing of any chemicals.

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE**

Keep container(s) tightly closed when not in use. Avoid inhalation of high concentration of vapors. Store in cool, dry, well ventilated area away from, oxidizers, flame, ignition sources and heat. Keep this and other chemicals out of reach of children.

**SECTION 6 - EXPOSURE CONTROLS / PERSONAL PROTECTION**

RESPIRATORY PROTECTION Ordinarily, none required	VENTILATION LOCAL EXHAUST: Recommended MECHANICAL (GENERAL): Not required
PROTECTIVE GLOVES Ordinarily, none required	EYE PROTECTION Safety glasses
OTHER PROTECTIVE CLOTHING OR EQUIPMENT Eye wash stations should be nearby and ready for use.	WORK / HYGIENIC PRACTICES Practice safe work habits. Use according to label instructions.

**SECTION 7 - PHYSICAL / CHEMICAL PROPERTIES**

BOILING POINT 180.5°F	SPECIFIC GRAVITY (WATER=1) 0.93
VAPOR PRESSURE (mm Hg) No data	MELTING POINT Not applicable
VAPOR DENSITY (AIR=1) No data	PH 7.0
SOLUBILITY IN WATER Slightly Soluble	EVAPORATION RATE (IPA=1) No data
APPEARANCE AND ODOR Off-white, premoistened towelette; antiseptic odor	% VOLATILES (BY VOLUME) 94

**SECTION 8 - STABILITY AND REACTIVITY**

STABILITY UNSTABLE: STABLE: XXX	CONDITIONS TO AVOID Flame, sources of ignition, heat
---------------------------------------	---

**INCOMPATIBILITIES (MATERIALS TO AVOID)**

Oxidizers, acids, alkalies

**HAZARDOUS DECOMPOSITION OR BYPRODUCTS**

Thermal decomposition may emit carbon monoxide, carbon dioxide, and other unidentified organic compounds.

**HAZARDOUS POLYMERIZATION**MAY OCCUR:  
WILL NOT OCCUR: XXX**CONDITIONS TO AVOID**

Heat, sparks, open flame, and other sources of ignition.

The information contained herein is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.